

Fig. 1





Fig. 2






Fig. 3b




Fig. 4a




Fig. 4b




Fig. 5



Fig. 6a



Fig. 6b

AND RESIDENCE OF THE PROPERTY OF THE PROPERTY



<u>Fig. 6c</u>





Fig. 6d






Fig. 8a




Fig. 8b




Fig. 9

□ -

■ Zinc

Ø TEPA

☑ TEPA + Zinc








Fig. 10











20 OLX) Souenberg on the control of the control of

Fig. 15








HANNER DEL RELEGIER MARKET POR TELL


. 14. 1.00 Anti-10.0 (B

Fig. 18














Fig. 24





19/22

Fig. 26

$$H_2N$$
 $N$ 
 $N$ 
 $N$ 
 $NH_2$ 

N,N'-bis(3-aminopropyl)-1,3-propanediamine

$$H_2N$$
  $NH_2$ 

N,N,Bis (2 animoethyl) 1,3 propane diamine

$$H_2N$$
  $N$   $NH_2$ 

Triethylene tetramine

Tetraethylene pentamine (Tepa)

Pentaethylene hexamine

1,7-Dioxa-4,10-diazacyclododecane

1,4,8,11-Tetraaza cyclotetradecane-5,7-dione

1,4,7-Triazacyclononane

I-Oxa-4,7,10-triazacyclododecane

1,4,8,12-tetraaza cyclopentadecane

1,4,7,10-Tetraaza cyclododecane

1,4,8,11-Tetraaza cyclotetradecane

Glycyl-glycyi-histidine (GGH)

Glycyl-histidyl-lysine (GHK)








Fig. 27b



21/28 Fig.27.



Fis. 27.1

